



**QIANGMENG
SPORTS**





QIANGMENG SPORTS

Founded in Beijing, China, in 2008, Qiangmeng Sports is a comprehensive enterprise specializing in sports equipment. It integrates R&D, customization, production and sales of basketball hoops, football goals, volleyball posts, tennis posts, pickleball posts, badminton posts, grandstands, substitute benches, hockey goals, rugby goals and handball goals. With a modern intelligent production base and digital assembly line, it is committed to becoming a global sports industry leader and advancing toward the vision of "Building a Global Qiangmeng".

INTERNATIONAL AUTHORITATIVE CERTIFICATIONS

Secured CE, TUV, SEDEX, as well as ISO Quality, Environmental and Occupational Health & Safety Management System certifications. Multiple basketball hoops certified by FIBA; football goals passed FIFA Quality Programme (Asia's first certified producer). Hockey products awarded FIH Level 1 Certification. Holds over 10 domestic invention patents; products sold in 116 countries/regions globally.

GLOBAL PARTNERSHIPS & FUTURE

As a certified partner of FIBA, FIFA, FIH and a WFSGI member, Qiangmeng actively promotes high-standard professional event equipment to boost international influence. It has grown into a first-class comprehensive ball sports equipment manufacturer. In the future, it will continue to deepen its involvement in the sports goods industry and contribute to global sports development.





Sufficient raw materials, quick turnaround for customized products



Fully Automated Laser Cutting Workshop for precise cutting of any shape.



Programmable robotic welding, efficient and intelligent control.



Shot blasting for rust removal: eliminates rust on steel surfaces.



Fully Integrated Electrostatic Spraying Workshop



Qiangmeng Factory Exhibition Hall



Qiangmeng Factory - Outdoor Exhibition Area



Qiangmeng Factory - Outdoor Exhibition Area



MANUFACTURER OF
FIBA APPROVED EQUIPMENT



MANUFACTURER OF
FIBA APPROVED EQUIPMENT



FIFA QUALITY PROGRAMME
FOR FOOTBALL GOALS



FIH (INTERNATIONAL HOCKEY
FEDERATION) LEVEL 1 CERTIFICATION



INTERNATIONAL ORGANIZATION
FOR STANDARDIZATION



CONFORMITY OF EUROPE



WORLD FEDERATION OF THE
SPORTING GOODS INDUSTRY



TÜV CERTIFICATION



SUSTAINABLE BUSINESS AND SUPPLY
CHAIN SOLUTIONS

COURT TO FIELD WE'VE GOT ALL YOU NEED

hoops, goals, and gear for every ball game.

	Basketball Stand Portable Inground Ceiling Wall mounted	01
	Football Goal Socketed Portable Freestanding Folding	19
	Barrier & Football Cage Soccer pitch barrier Football cage	39
	Field Hockey Goal Field hockey goal	45
	Rugby Goal Rugby goal	47
	Handball Goal Handball goal	51
	Team Shelter & Bleachers VIP Team shelter Portable Fixed	53

	Volleyball Post Portable Inground Cart Referee chair	65
	Padel Court & Tennis Post Portable Inground Padel tennis court	75
	Pickleball Post Portable Inground	81
	Badminton Post 2-in-1 badminton pole Portable	85
	Track & Field Equipment Aluminum Hurdles Starting Blocks	87
	More Products Divider curtain Wall padding Gym mats	93



WD-2



WD-1

CUSTOM CEILING SUSPENDED HOOPS

MATERIAL	Steel
ADJUST HEIGHT	Adjustable at 3.05m
BACKBOARD SIZE	1828mm x 1070mm x 12mm
FOLDABLE	Optional


FEATURES

- Fully welded frame (for ceiling heights up to 32')
- 72" x 42" x 1/2" Glass Backboard
- Competition Break-away rim
- Backboard protection edge pad
- 1500W 220V Servo motor (front fold triangle frame to ceiling)
- Manual Height Adjuster (optional)
- Custom colors available for additional cost



The ceiling-mounted basketball system offers outstanding stability and versatility, making it ideal for both new arenas and facility upgrades.

Designed to maximize space efficiency, it features a reinforced structure for greater load capacity, a high-strength safety belt, and a smooth electric winch for safe and easy height adjustment—ensuring reliable performance for games and training.






Our Ceiling Suspended Forward-Folding Basketball Hoop System is customized to each individual facility building design. The ceiling-mounted basketball backstop features direct hoop attachment for optimal backboard strength and performance. Approved for competition play, our steel welded structure provides maximum clearance for facilities with ceiling heights up to 12m.






A-22

MATERIAL	Steel
ADJUST HEIGHT	2.55-3.05m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Manual fold to Left and Right
FEATURES	FIBA certified



Space-saving, wall-mounted design.
 Strong and stable for intense play.
 Adjustable height, moves up and down.
 Foldable to the sides for compact storage.
 Customizable to fit different court needs.
 Easy to install, maintain, and affordable.





DZ-A8



MONSTER X5



MONSTER X3

Wall-mounted basketball system will offer space-saving options during court design. Our engineers will provide custom designs based on your facilities, we provide more options as the final solution, for example, electric folding basketball hoops, irregular shape basketball hoops, all of these solutions will guarantee the successful installation in your places and perfect meet your requirements for the all level games.






Level 1





TANK-800

MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	3.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	1100 kg
40 HQ	4 sets
FEATURES	FIBA approved level-1 basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Electric hydraulic fold system Electric control movement wheels



OPTIONAL Shot clock with supporting rod
Full ≈600kg counterweight








Level 2



TANK-600


MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	900 kg
40 HQ	6 sets
FEATURES	FIBA approved basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Electric hydraulic fold system Electric control movement wheels
OPTIONAL	Shot clock with supporting rod Full ≈ 600kg counterweight



Multiple colors available on backboard edge padding



Manual Bottom Cylinder Lift System



Local Control Mode to System with Buttons




Level 2





TANK-500

MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	660 kg
40 HQ	6 sets
FEATURES	FIBA approved basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Manual hydraulic fold mechanism with interact wheels



OPTIONAL	Shot clock with supporting rod Full ≈ 600kg counterweight
-----------------	--



Multiple colors available on backboard edge padding



Spinning Down Standing Feet During Use



Full Cover Protection Padding for Safety




Level 2




TANK-200


MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	550 kg
40 HQ	6 sets
FEATURES	FIBA approved basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Manual hydraulic fold mechanism with interact wheels



OPTIONAL	Shot clock with supporting rod Full ≈ 500kg counterweight
-----------------	--



Multiple colors available on backboard edge padding



Spinning Down Standing Feet During Use



manual bottom cylinder lift system



Level 2





Thunder 500

MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	700 kg
40 HQ	6 sets

FEATURES

- FIBA-certified 3x3 basketball stand
- Built-in 12-second timer
- Manual spring-loaded folding and lifting system
- 12mm tempered glass backboard
- Φ20 solid round steel double-spring rim

OPTIONAL Full ≈ 550kg counterweight



Multiple colors available on backboard edge padding



Spinning Down Standing Feet During Use



Full Cover Protection Padding for Safety



TANK-100

HEIGHT	Rim to ground at 3.05m
OVERHANG	2.15m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
WEIGHT	420 kg
40 HQ	6 sets
FEATURES	Tank Series Basketball Hoop Pro Specs – 3.05m rim, 7' overhang. 12mm tempered glass backboard Φ20 solid round steel double-spring rim Fully padding for effective protection
OPTIONAL	Full ≈500kg counterweight



SPRING A-05

HEIGHT	Rim to ground at 3.05m
OVERHANG	1.8m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
WEIGHT	400 kg
40 HQ	6 sets
FEATURES	Manual spring-loaded folding system Pro Specs – 3.05m rim, 5.9' overhang. 12mm tempered glass backboard Φ20 solid round steel double-spring rim Fully padding for effective protection
OPTIONAL	Full ≈500kg counterweight



FIRE Z-05

HEIGHT	Rim to ground at 3.05m
OVERHANG	1.6 m
BACKBOARD SIZE	1800mm x 1050mm x 10mm
WEIGHT	320 kg
FEATURES	Pro Specs – 3.05m rim, 5.3' overhang. 12mm tempered glass backboard Φ20 solid round steel double-spring rim Fully padding for effective protection
OPTIONAL	Full ≈350kg counterweight



ACTION A-02

HEIGHT	2.55-3.05m
OVERHANG	Up to 1.48 m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
WEIGHT	260 kg

FEATURES

Durable and impact-resistant tempered glass backboard
Adjustable height for training and competition
Sturdy base for safety
Manual lift for easy and convenient movement

OPTIONAL Full ≈400kg counterweight



YOUNG KING - A09

HEIGHT	2.05-3.05m
OVERHANG	Up to 1.48 m
BACKBOARD SIZE	1200mm x 800mm x 10mm
WEIGHT	130 kg

FEATURES

Flexible height adjustment, suitable for different ages
Economical, durable, and cost-effective
Manual adjustment for easy storage
Widely applicable

OPTIONAL Full ≈200kg counterweight



N-050SME

HEIGHT	2.44m (8') , 2.74m (9') , 3.05m (10')
TUBE SIZE	50*50mm / 60*60mm
BASKET SIZE	Φ380mm
WEIGHT	53kg (including 27kg counterweight)

FEATURES

Meets women's netball standards
Easy to disassemble and transport, with wheels for mobility
Three-position lift (8/9/10 ft)
Integrated weighted base
High quality steel , powder coating white for long lasting play
Includes rim and net

DUNKING S-300

Overhang length 5'

INGROUND BASKETBALL HOOPS
with height adjustable from 6-10 ft



Detail

Basketball rack color :

installation type: inground type

backboard: tempered glass

backboard size: 72*42"

backboard thickness: 1/2"

rim height: 1.85-3.05 meter / 6-10'

height adjustable option: Yes

pole size: 12*8"



Hot-dip Galvanized & Powder Coated Steel

Stainless steel hardware

Double-spring mechanism
easy lift mechanism makes adjustable
height 6-10' for all ages with ease.

DUNKING S-200

Overhang length 4'

INGROUND BASKETBALL HOOPS
with height adjustable from 5.5-10ft



Detail

Basketball rack color

installation type: inground type

backboard: tempered glass


backboard size: 72*42"

backboard thickness: 1/2"

rim height: 1.5-3.05 meter / 5-10'

height adjustable option: Yes

pole size: 6*8"



Hot-dip Galvanized & Powder Coated Steel

Premium Gusset Design
Anchor J-bolts with heavy duty reinforcement.



DUNKING-100

Backboard size **60 X 36"**

Overhang **3'**

Pole size **6 X 6"**

Adjustable height **5.5' - 10'**

Material **HDG**

Surface **Powder Coating Frame**

FEATURES

Galvanized steel columns effectively prevent rust.
12mm tempered glass backboard
Adjustable height: 5.5-10 ft
Fully padding for effective protection



STAR-100

Backboard size **47 X 31"**

Overhang **2.6'**

Pole size **5 x 5"**

Adjustable height **7'-10'**

Material **HDG**

Surface **Powder Coating Frame**

FEATURES

Youth-style design for easy installation.
Tempered glass backboard for impact resistance.
Hand crank for height adjustment.
Suitable for small courts.



WARRIORS

Backboard size **72 x 42"**

Overhang **5' / 4'**

Pole size **12 X 8"**

Height **10'**

Material **HDG**

Surface **Powder Coating Frame**

FEATURES

An extra-large backboard provides the ultimate experience.
Back-to-back design saves space.
Durable material and stable construction.
Full padding for effective protection.



CHAMP A-500

flex rim(upgrade available)

Backboard size **1800*1050cm**

Pole size **40*30cm**

Overhang **225cm**

Height **305cm**



CHAMP A-300H

flex rim(upgrade available)

Backboard size **1800*1050cm**

Pole size **30*20cm**

Overhang **190cm**

Height **305cm**



CHAMP A-300Y

flex rim(upgrade available)

Backboard size **1800*1050cm**

Pole size **30*20cm**

Overhang **190cm**

Height **305cm**



CHAMP A-300J

flex rim(upgrade available)

Backboard size **1800*1050cm**


Pole size **30*20cm**

Overhang **190cm**

Height **305cm**



180° GOAL QML-R180G-A



180° Breakaway & Flex Goal
 Breakaway Release Adjustable From 180-250 Lbs
 5" X 4" To 5" X 4 1/2" Mount Pattern
 Ring Constructed With Alloy Steel
 Includes Net & Mounting Hardware
 Tube Tie Net Attachment




Designed for premier facilities who experience a volume of top-level talent. The 180° Goal absorbs the impact from all directions reducing the shock into a player's hands. Typical arena rims have the ability to only either flex or breakaway. The 180° combines both technologies to provide desired flexibility that is within professional game level rules and requirements.




BREAKAWAY RIM

- 5"x5" or 5"x4" hole pattern
- Concealed-design net attach hanger
- Powder coated orange color
- Rim dia: 18"
- Mounting plate: 5mm thick



BREAKAWAY RIM

- 5"x5" or 5"x4" hole pattern
- U-shape net attach hanger, nylon net
- Powder coated orange color
- Rim dia: 18"
- Mounting plate: 5mm thick




BREAKAWAY RIM WITH SUS304 NET

- 5"x5" or 5"x4" hole pattern
- Stainless steel made net
- Powder coated orange color
- Rim dia: 18"
- Mounting plate: 5mm thick



Concealed-design net attach hanger



T-shape net attach hanger, nylon net



H-BALL CARTS

1" Steel Construction
Gunmetal (Gray) Powder Coat Finish
Easy Roll Casters
Carts now have capacity for 12

SIZE
L:115" W:52" H:108cm



A-BALL CARTS

1" Steel Construction
Black Powder Coating Finish
Easy Roll Casters
Carts now have capacity for 12

SIZE
L:130" W:47" H:102cm



LOCKABLE-BALL CARTS

Carts now have capacity for 16
Customer provides padlock
23" width for easy storage
Lock to protect your basketball movement

SIZE
L:130" W:60" H:85cm



CUSTOM BASKETBALL

PU leather surface
Accepts LOGO print
Multiple sizes available

LOW MOQ



220V SUPPLY SCOREBOARD

Multifunctional timing and scoring system
Customizable sizes
Suitable for multiple sports.




220V SUPPLY SHOT CLOCK

Full coverage of multiple timers + timeout buzzer
Full dot-matrix high brightness + high refresh (no flicker)
Supports customized virtual light strip



INTERNATIONAL COMPETITION GOAL (FIFA)



QML-1105



SIZE 24x8ft (7.32mx 2.44m)

MATERIAL Aluminum - $\phi 100 \times 110$ (mm) Main frame
 Aluminum - 80x40mm back poles
 Aluminum - 3x $\phi 80$ mm net support poles

FEATURES All-aluminum construction
 80x40 aluminum hinged bottom frame
 Inset height adjuster: precise height control system
 3x aluminum net support poles + 3x net tension system ratchet
 Aluminum hinged bottom frame: lightweight, easy folding
 galvanized/chrome-plated connectors
 The screws of the soccer goal are all made of 304 stainless steel

FINISH Durable anti-scratch white powder coating

INCLUDES 5mm HDPP white knotless woven netting (24ft wide x 8ft high)
 3* Net support pole padding (with ground sleeve socket)
 Net Clips
 All bolts and fixings



5mm HDPP white net



3pcs back pole paddings





QiangMeng Net Clips



Hinged protect cap

The goal is FIFA certified product which has a built-in height adjustment system that allows it to be adjusted to standard height without pulling out the uprights. one-piece crossbar is made of 100x110mm oval aluminum, with built-in ribs for extra strength. The hinged connection tube is made of 80x40mm, 2.5mm thickness aluminum alloy, treated with white powder coating process, the all-aluminum frame prevents misalignment and is equipped with fastening straps; 3 aluminum support columns (80mm outer diameter, 3mm thickness), combined with ratchet straps and net tension system which maintains the net shape at any time.





FIFA- BOX-TYPE MOVEABLE COMPETITION GOAL QMF-1102-FIFA


- SIZE** 24x8ft (7.32mx 2.44m) -Customizable
- MATERIAL** Aluminum - $\phi 100 \times 110$ (mm) Main frame
Aluminum - $\phi 80$ mm net support poles
- INCLUDES** 5mm HDPP white knotless woven netting
2* Net support poles
360° Swivel wheels for easy movement
Internal weights 12kg, 8 pieces for one soccer goal

- FEATURES** Box Style soccer goal
High-quality box net with 4-point tension
24ft \times 8ft , dual use for matches/training.
2 aluminum net supports poles with ratchets/straps
With 8 pieces counterweights , each of the countweight is 12kg.
The screws of the soccer goal are all made of 304 stainless steel





FIFA- FREESTANDING PORTABLE GOAL



QMF-1104-FIFA

- SIZE** 24x8ft (7.32mx 2.44m) -Customizable
- MATERIAL** Aluminum - $\phi 100 \times 110$ (mm) Main frame
Galv. steel - $\phi 42$ mm back poles
- INCLUDES** 5mm HDPP white knotless woven netting
Net Clips
Internal weights 12kg, 8 pieces for one soccer goal

- FEATURES** Aviation-grade aluminum crossbar with internal reinforcing ribs
White powder coating for rust/corrosion resistance
Premium 5mm knotless woven goal net (taut, no sagging)
With 8 pieces counterweights, each of the countweight is 12kg.
Optional soccer goal wheels for easy mobility
The screws of the soccer goal are all made of 304 stainless steel



SOCCER GOAL WORKSHOP



Qiangmeng uses aviation-grade aluminum 6061-T6 to build football goals, with a hardness rating exceeding 16 HRC (Vickers hardness)



The core is the advanced robotic arm welding technology, which creates a football goal with uniform welding points and flawless, ensuring its accuracy.



Qiangmeng engineers carefully inspect every component and every welding process to ensure structural integrity and long-term durability.


SOCCER GOAL ACCESSORIES

 Complies with EN 748

Galvanized Connection Parts



Net Clips



Net clips made of UV and weather resistant polyamide available in 5 colors.

Protective Cover



End cap of aluminum tube

Hinged protect cap



PRO-ALUMINUM PORTABLE GOAL



QMF-1102

- SIZE** 24x8ft (7.32mx 2.44m) -Customizable
- MATERIAL** Aluminum - $\phi 100 \times 110$ (mm) Main frame
Aluminum - $\phi 80$ mm net support poles
- INCLUDES** 5mm HDPP white knotless woven netting
2* Net support poles
Net Clips

- FEATURES** Box Style soccer goal
High-quality box net with 4-point tension
24ft \times 8ft , dual use for matches/training.
2 aluminum net supports poles with ratchets/straps
Optional universal wheels for flexible movement
The screws of the soccer goal are all made of 304 stainless steel

OPTIONAL
Swivel wheels for easy movement





ALUMINUM PORTABLE GOAL



QMF-1104

- SIZE** 24x8ft (7.32mx 2.44m) -Customizable
- MATERIAL** Aluminum - $\phi 100 \times 110$ (mm) Main frame
Galv. steel - $\phi 42$ mm back poles
- INCLUDES** 5mm HDPP white knotless woven netting
2*Net Support poles
Net Clips

- FEATURES** Aviation-grade aluminum crossbar with internal reinforcing ribs
White polyester powder coating for rust/corrosion resistance
Premium 5mm knotless woven goal net (taut, no sagging)
Internal balance weights optional for added stability & safety
Optional soccer goal wheels for easy mobility
The screws of the soccer goal are all made of 304 stainless steel

NET CLIPS





ALU-80 FOLDING SOCCER GOAL



QMF-7001

- SIZE** 12x6ft (3.66x1.83m)-Customizable
- MATERIAL** Aluminum - ϕ 80 (mm) Main frame
Galv. steel - ϕ 32mm back poles
- INCLUDES** 5mm HDPP white knotless woven netting
Net Clips | Soccer Goal Uprights Foot Pad



FEATURES ϕ 80 heavy-duty aviation aluminum pipes, multiple internal ribs
White polyester powder coating, rust/corrosion-resistant
5mm premium knotless woven goal net
Ground-anchored for stability & safety
Outdoor storable; galvanized steel foldable frames save space
Lightweight freestanding goal, movable by 2 people
The screws of the soccer goal are all made of 304 stainless steel

OPTIONAL



Weighted sandbag
(Suggest 4 or 6 pieces)



U shape Anchors
Secure the goal with four "U" Anchors



ALUMINUM INGROUND SOCCER GOAL

- SIZE** 24x8ft (7.32mx 2.44m)-Customizable
- MATERIAL** Aluminum - $\phi 100 \times 110$ (mm) Main frame
Galv. steel - $\phi 42$ mm back poles
- INCLUDES** 5mm HDPP white knotless woven netting
2*Net Support poles
Net Clips

QMF-1103

- FEATURES** All-aluminum construction
White polyester powder coating for rust/corrosion resistance
Premium 5mm knotless woven goal net (taut, no sagging)
Equipped with two U shape anchors.
The screws of the soccer goal are all made of 304 stainless steel

INCLUDES



Net Clips



U shape Anchors



GROUND-MOUNTED STEEL SIDE-FOLD GOAL QMF-ST700F

SIZE 16.5x6.5ft (5x 2m)

MATERIAL Galv. steel - ϕ 89mm Main frame
Galv. steel - ϕ 89mm back poles

INCLUDES 5mm HDPP white knotless woven netting
Roller
Height limiter

FEATURES Adjustable telescoping + folding design, depth adjustable between 2.5 and 3 m
Size 5.0 \times 2.0m, standard spec
89mm diameter steel pipe (2mm thick), 50 \times 50/60 \times 60mm telescoping steel connectors, sturdy structure
High-strength full welding reinforcement, integrated net hooks + ratchet tensioners, net tight and stable
Telescoping/folding for easy storage, with walking rollers (labor-saving), space-saving
Galvanized steel rollers
The screws of the soccer goal are all made of 304 stainless steel



STEEL SOCCER GOAL

QMF-STG7004

SIZE 16.4x6.6ft (5mx 2m) -Customizable

MATERIAL Galv. steel - φ89mm Main frame
Galv. steel - φ32mm back poles

INCLUDES 5mm HDPP white knotless woven netting
2*Net Support poles
Net Clips

FEATURES 89mm galvanized steel pipe: high strength & durable
Premium white polyester powder coating
5mm HDPP white knotless woven netting
Stable structure: resists strong impacts
Optional wheels available for purchase
The screws of the soccer goal are all made of 304 stainless steel

OPTIONAL



Weighted sandbag
(Suggest 4 or 6 pieces)



U shape Anchors
Secure the goal with four "U" Anchors



DUAL-PURPOSE GOAL FOR FOOTBALL & RUGBY

QMFR-1104

- SIZE** 7.32*2.44m+5.6m* 3.56m
- FOOTBALL** Aluminum - $\phi 100 \times 110$ (mm) Main frame
Galv. steel - $\phi 89$ mm back poles
- RUGBY** Aluminum - $\phi 80$ (mm) Main frame
- INCLUDES** 5mm HDPP white knotless woven net
Net Clips

- FEATURES** High-quality materials: High-grade aluminum + galvanized steel pipe for durability.
- Excellent features: Lightweight and easy to carry, rust-resistant and corrosion-resistant, with a long lifespan.
- Multi-functional: Switchable between soccer and rugby goals, a dual-purpose goal.
- Efficient: Modular design for easy assembly and disassembly, with wheels for flexible mobility.
- Excellent user experience: Rounded corners for impact resistance, beautiful appearance, and easy cleaning.
- Widely adaptable: Suitable for schools, communities, and training grounds.
- The screws of the soccer goal are all made of 304 stainless steel



QMF-7004

SIZE 12x6ft (3.66x1.83m) -Customizable

MATERIAL Aluminum - ϕ 80mm Main frame
Galv. steel - ϕ 32mm Net support



QMF-7004-R

SIZE 12x6ft (3.66x1.83m) -Customizable

MATERIAL Aluminum - ϕ 100x110mm Main frame
Galv. steel - ϕ 32mm Net support



QMF-G7004-C

SIZE 16x7ft (5mx2m) -Customizable

MATERIAL Aluminum - ϕ 80mm Main frame
Galv. steel - ϕ 32mm Net support



QMF-7001-B

SIZE 12x6ft (3.66x1.83m) -Customizable

MATERIAL Aluminum - ϕ 80mm Main frame
Galv. Steel - ϕ 32mm Net support



QMF-7004-B

SIZE 12x6ft (3.66x1.83m) -Customizable

MATERIAL Aluminum - ϕ 80mm Main frame
Galv. Steel - ϕ 32mm Net support



QMF-7003-B

SIZE 12x6ft (3.66x1.83m) -Customizable

MATERIAL Aluminum - ϕ 80mm Main frame
Galv. Steel Anchor System



QMF-C1812-PRO

SIZE 6x4ft (1.83x1.22m) / Bse Dpth:1.2M/TP Dpth:0.68M
MATERIAL Aluminum, Galv. steel
WEIGHT 33kg



QMF-C1209

SIZE 4x3ft (1.2x0.9m) /Bse Dpth:0.7M/ TP Dpth :0.46M
MATERIAL Aluminum, Galv. steel
WEIGHT 14kg



QMF-C1209-ST60

SIZE 4x3ft (1.2x0.9m) Bse Dpth:0.9M/ TP Dpth :0.7M
MATERIAL Galv. steel
WEIGHT 16kg



QMF-C1008

SIZE 3.3x2.6ft (1.0x0.8m) / Bse Dpth:0.6M/ TP Dpth:0.37M
MATERIAL Aluminum, Galv. steel
WEIGHT 7.2 kg



QMF-C0806-ALU80

SIZE 2.6x2ft (0.8x0.6m) Bse Dpth:0.5M / TP Dpth :0.35M
MATERIAL Aluminum, Galv. steel
WEIGHT 9.5 kg



QMF-C0806-ALU60

SIZE 2.6x2ft (0.8x0.6m) Bse Dpth:0.5M / TP Dpth :0.35M
MATERIAL Aluminum, Galv. steel
WEIGHT 8.5 kg





QMF-M102

SIZE

Wheel diameter: Φ 250mm

WHEEL

Lever wheels offer 10-inch ground clearance

WEIGHT

Per unit: 7.5kg

FEATURES


360° movement

Large wheel clearance, 10-inch lift, better obstacle crossing

High-strength PP hubs + foam PU solid tires, puncture-proof

Extra-wide tires + deep diamond tread, mud-resistant

Telescopic lever handle, labor-saving



QMF-11PRO

PRODUCT

Multi-functional soccer goal transport cart

WHEEL

With casters, 300mm ground clearance

WEIGHT

Per unit: 140kg

FEATURES


4 premium casters: flexible, easy to push, fits all surfaces

Hand-crank screw lift: 2-person operation, labor-saving, time-efficient

Custom for large-event in-ground goals: high compatibility

300mm clearance: great passability, clears obstacles

Versatile: pro event teams, schools, stadiums, etc.





QMF-M101

SIZE


Wheel diameter: Φ 250mm

WHEEL

Lever wheels offer 100mm ground clearance

WEIGHT

Per unit: 4kg



FEATURES

Large wheel ground clearance, better obstacle crossing
 Premium wheels & brackets, upgraded mobility
 High-strength PP hubs + foam PU solid tires, puncture-proof
 Extra-wide tires, deep diamond tread, mud-resistant
 stainless steel bolts, corrosion-resistant



QMF-400

SIZE


Wheel diameter: Φ 250mm

WHEEL

Dual-wheel, heavy-duty, more stable

WEIGHT

Per unit: 6kg



FEATURES

Large wheel clearance, better obstacle crossing
 Premium wheels + brackets, upgraded mobility
 High-strength PP hubs + foam PU solid tires, puncture-proof
 Extra-wide tires + deep diamond tread, mud-resistant
 Dual side tighteners, plum handles for secure fixing
 Large platform design; 2 for small goals, easy transport



QMF-M103

SIZE


Wheel diameter: Φ 250mm

WHEEL

Axially rotating movable wheel

WEIGHT

Per unit: 2.5kg



FEATURES

Large wheel clearance, better obstacle crossing
 High-strength PP hubs + foam PU solid tires, puncture-proof
 Extra-wide tires + deep diamond tread, mud-resistant
 Easy to operate, easy to move
 2 for small goals, easy to transport, fits 80/110 profiles



QMF-C1008

SIZE

3.3x2.6ft (1.0x0.8m)

MATERIAL

Aluminum - ϕ 60mm Main frame
Steel - ϕ 32mm back poles

WEIGHT

per unit: 7.2kg

FEATURES

ϕ 60 heavy-duty aerospace aluminum tube with internal ribs.
Premium white polyester powder coating: Rust & corrosion protection.
5mm premium knotless woven goal net.
Outdoor storage; fully welded design.
Options: Natural aluminum or powder coating.



HDPE

SIZE

3mm braided net

MATERIAL

HDPE braided net

FEATURES

Tough & Impact-Resistant

3mm HDPE + 100mm braided mesh: stands up to ball impacts, no easy damage.

All-Season Durability

UV resistant - performs in all weather conditions.

Perfect for Goals

Fits training, matches - ready to use.



HDPP

SIZE

5mm net

MATERIAL

HDPP net

FEATURES

Durable

5mm HDPP for longer life
UV-resistant, sun-proof
Performs in all weather conditions.

Sturdy

Machine-stitched border rope to prevent tearing

Practical

Easy to hang
Ideal replacement net



QMFC-GS48-2

SIZE
Φ 48mm, 300*150cm

FENCE
Twin wire 868 steel mesh panels fence

INCLUDE
Twin wire 868 steel mesh
columns, cross tubes
large tee joints, elbows



QMFC-GS48-2

SIZE
Φ 48mm, 300*150cm

FENCE
Chain link fence

INCLUDE
chain link fence
columns, cross tubes
large tee joints, elbows



QMFC-GS48-2

SIZE
Φ 48mm, 300*150cm


FENCE
/ none

INCLUDE
No fence; custom billboards available
columns, cross tubes
large tee joints, elbows



FEATURES

- Sturdy Material:** All galvanized, 48mm galvanized steel columns, strong load-bearing & durable.
- Wide Application:** Fits indoor, outdoor, large/small sports venues; reliable spectator safety.
- Flexible Customization:** Venue-size tailored, color options; columns 1.1m high, 3m apart, 400mm deep set.
- Stable Structure:** Galvanized tees/elbows connect columns; firm, ideal for permanent sports venues.
- Versatile Functions:** Optional fence (fixed by buckles) enhances safety, blocks access, connects ads; optional doors for venue entry. Perfect for close-up viewing, with/without mesh.





QMFC-GS89-6

HEIGHT

4m height /20m length

2m Chainlink Fence +2m Polyethylene rope mesh, 12*12cm mesh

5m height /20m length

2m Chainlink Fence +3m Polyethylene rope mesh, 12*12cm mesh


6m height /20m length

2m Chainlink Fence +4m Polyethylene rope mesh, 12*12cm mesh

Notes: Order is at least 20+5m Length

FEATURES

Ball stopping system is composed of galvanized poles and netting system. inground installation. underground 1 meter, above ground height 6meter. poles will treat with powder coating. different netting size to block different size balls such as soccer, tennis and golf. net tension system is included as well as accessories such as pulley and net hook. this ball stopping system will stop the ball and protect spectators and surrounding buildings



QMFC-ALU60-4

PRODUCT


Mobile fence post


INCLUDE

post, base, weight bucket, bolt
movable wheel, pipe plug, fence net

FEATURES

Flexible mobility: Base casters enable easy movement by tilting, solving traditional immobility; ideal for regular relocation or non-permanent setups.
Space-saving: Weighted base balances stability and space, avoiding excess court occupation.
Durable quality: 6mm twisted polypropylene fence (strong, anti-corrosion, UV-resistant, long-life); 60mm×3mm aluminum posts (high-strength, powder-coated for extra corrosion resistance).
Customizable: Fence tailored to different balls; sheath colors optional for diverse needs.
Safe & stable: 4×20L weight buckets per post boost stability.
Optional sizes: 12ft and 16ft available.





FOOTBALL CAGE CC2515-2

PRODUCT 5-A-SIDE CAGE FOOTBALL FIELD

SIZE Field: 25*15m
Fence: 3m
goal: 3*2m
lighting pole: 4m

INCLUDES Posts, light poles, crossbars, door frames, artificial turf chain link nets, goal frames, goal nets, LEDs

FEATURES

For 5-a-side cage football, with 3m × 2m standard goals. 3m high (high-strength hook net) enclosure stops balls flying out; 80mm columns/beams; metal spray-coated, goals hot-dip galvanized 8 × 400W LED lights: bright, even, fits night/competitions. Custom size, color, logo – suits varied scenarios.

STREET CAGE FOOTBALL FIELD





QMF-CC0505

1V1

PRODUCT

Street cage football field

MATERIAL


Pipe: Hot-dip galvanized square pipe
Net: PE | Anti-collision plate: PVC

INCLUDES

Side panels × 8, PVC side panels × 16

FEATURES

- Easy installation, versatile use: Fits various indoor/outdoor surfaces; 2 people, ~15 mins to assemble.
- Flexible, customizable: 8 galvanized steel panels (hinge-connected); standard 2.5m high, ~5m diameter; expandable for different sizes.
- Durable lower PVC panels: 1m high, waterproof, wear-resistant; vibrant, ideal for branding.
- Upper ad space: 20cm top edge area for logos/brand info.
- Safe, good viewing: 50x50mm mesh ensures safety/viewing; metal goals with chains reduce ball rebound.



QMF-CC0505E

1V1

PRODUCT

Street cage football field

MATERIAL


Pipe: Hot-dip galvanized square pipe
Net: PE | Advertising cloth: PVC color printing

INCLUDES

Side panels × 8, PVC waterproof advertising cloth × 16

FEATURES

- Easy Assembly: 8 galvanized steel side panels, hinge-connected for quick, hassle-free setup.
- Wide Application: Fits various indoor/outdoor surfaces (lawn, asphalt, etc.) and public areas.
- Great for Promotion: 1m PVC ad cloth (waterproof, durable) + 20cm top ad space, ideal for branding.
- Safe & Good Viewing: 50mm × 50mm grid ensures safety and great spectator experience.
- Flexible & Practical: Foldable goals (reduces transport cost); customizable panel count/size for varied spaces.





FIELD HOCKEY GOAL (FIH)

QMH-1001

- SIZE** 12x7ft (3.66x2.14m)
- MATERIAL** Aluminum - 50*70mm Main frame
Galvanized steel - φ48mm back poles
- INCLUDES** 4mm HDPP knotless net
Rollaway wheels for easy movement
Net Clips

FEATURES

FIH : Meets all International Field Hockey goal regulations
 Sturdy & Impact-Resistant: Heavy reinforced aluminum posts, steel corners. Withstands high-speed hits, The frame keeps stable.
 Quality Build: Reinforced aluminum frame (white powder coat), 4mm HDPP knotless net
 Practical Details: Carpet-lined interior (reduces noise/rebound); twisted clips secure net; 10" wheels for easy moving.
 Durable & Weatherproof: UV-treated net, fully weatherproof, long-lasting.



QMH-1002


SIZE
12x7ft (3.66x2.14m)

MATERIAL
Aluminum - 50*70mm Main frame
Steel - 50*50mm back poles

WEIGHT
Net weight per unit: 62kg
Weight per pair: 124kg

FEATURES

High-strength aluminum frames, steel panels/base, solid structure. Colors (except aluminum frames); logos on outer side/back panels. Standard Parts: 260mm solid tires, ties, clips, 3mm PP net. Strong Performance: Powder-coated (water/rust/collision-resistant); stainless bolts (strong, rust-proof). Compliant: Meets International Hockey Federation rules.



QMH-1003


SIZE
12x7ft (3.66x2.14m)

MATERIAL
Steel - 50*70mm Main frame
Steel - 50*50mm back poles

WEIGHT
Net weight per unit: 120kg
Weight per pair: 240kg

FEATURES

All-steel Sturdy: High-strength steel frame, stable base (no shaking). Colors customizable (except frame); logos printable on outer side/back panels. Full Standard Parts: 260mm solid load tires, ties, 3mm PP net. Reliable Performance: Powder-coated; stainless bolts. Compliant & Versatile: Meets FIH rules, indoor/outdoor use.



QMH-1004

SIZE
12x7ft (3.66x2.14m)

MATERIAL
Steel - 50*50mm Main frame

WEIGHT
Net weight per unit: 62kg
Weight per pair: 124kg

FEATURES

All-steel Build: High-strength steel frame, solid structure. Printable Logo: On outer edge of posts. Standard Parts: 100mm nylon load wheels, 3mm PE net. Strong Performance: Powder-coated; stainless bolts. Quick-release for fast setup; lightweight, easy to transport/store. Versatile: indoor/outdoor use.






PRO-ALUMINUM RUGBY GOAL

QMR-ALU130-17

- SIZE** 18.5x55.8ft (5.6x 17m)
- MATERIAL** Aluminum - $\phi 133+\phi 120+\phi 112+\phi 102\text{mm}$ Main frame
Aluminum - $\phi 89\text{mm}$ crossbar
- WEIGHT** Net weight per unit: 218kg
Weight per pair: 436kg

FEATURES

- High stability: Plug-in connection reduces shaking; layered design distributes load
- Premium aluminum, corrosion-resistant, rust-free, weather-adaptable, long-lasting
- Lightweight: Aluminum lighter than steel, easy to transport/install, lower ground load
- Scientific structure: Multi-step columns ($\phi 133-102\text{mm}$) + $\phi 89\text{mm}$ crossbar, well-sized
- Easy connection: Plug-in design simplifies installation, tighter structure





ALUMINUM RUGBY GOAL


HEIGHT 8 / 10 / 12 m -Customizable

MATERIAL Aluminum - $\phi 80$ mm Main frame
Aluminum - $\phi 80$ mm crossbar

WEIGHT Net weight per unit: 122kg
Weight per pair: 244kg

QMR-ALU80-12

FEATURES Durable: Premium aluminum with full 80 reinforcement for long-term use.
Lightweight: Aluminum, easy to handle and move.
Safe & reliable: 5.6m unified spacing, stable in competitions.
Low maintenance: Aluminum resists corrosion, cuts costs.
Easy installation: Standard ground sockets, hinges; segmented design






RUGBY GOAL

- SIZE** A: 5.64*9.15m B: 7.11*9.15m
- MATERIAL** Galvanized steel - ϕ 152mm center post
Aluminum - ϕ 140mm crossbar
Aluminum - ϕ 100mm post
- WEIGHT** Net weight per unit: 280kg
Weight per pair: 560kg

QMR-620COLRGH

- FEATURES** Galvanized steel center column + thick aluminum crossbar, stable and anti-corrosive
Flexible: 2 models (high school/college) for varied needs
Easy install: flange design, no grounding sleeve, simple setup
Low maintenance: powder coating + galvanized parts, less upkeep
Customizable: column height for special venues
Multi-functional: gooseneck rotation saves space; lifting system eases labor, storage



Center Post: Made from $\phi 152\text{mm}$ galvanized steel pipe
 Crossbar: Features a $\phi 140\text{mm}$ thick-walled aluminum tube for a lightweight design
 Uprights: Made from $\phi 100\text{mm}$ aluminum pipe, combining strength and corrosion resistance
 Ground Anchoring System:
 Material: Welded 12mm thick steel plate enhances anti-overturning capability
 Flange Plate Design: A specially designed flange plate simplifies installation and adjustment, eliminating the need for ground sleeves and streamlining the construction process.
 Provides two offset options, 6' (approx. 1.83 meters) and 8' (approx. 2.44 meters), to accommodate different field layouts and increase flexibility.
 Gooseneck Rotation System:
 The gooseneck portion of the goalpost supports 360° rotation

FOOTBALL HINGE KIT

High School Crossbar Width : 23' 4"(7.11m)

Overhang	Post	Item #
1.83m	$\phi 152\text{mm}$ Galv. Steel Pipe	QMR-620HSGHPL
2.44m	$\phi 152\text{mm}$ Galv. Steel Pipe	QMR-620HSGHPL

College Crossbar Width : 18' 6"(5.64m)

Overhang	Post	Item #
1.83m	$\phi 152\text{mm}$ Galv. Steel Pipe	QMR-620COLRGH
2.44m	$\phi 152\text{mm}$ Galv. Steel Pipe	QMR-620COLRGH



Leveling Plate



OPTIONAL

Fits 10-20" rugby posts (6ft high); customizable for other posts
 Durable: foam + waterproof PVC, weatherproof, Long-lasting prints
 Safe: high impact absorption, IRB-compliant, reduces injuries



FOLDING HANDBALL GOAL

QMHD-HD20

- SIZE** 9.8x6.6ft (3x2m)
- MATERIAL** Aluminum - 80*80mm Main frame
Galvanized steel - ϕ 32mm back poles
- INCLUDES** 4mm HDPP knotless net
Net Clips

- FEATURES** Tough: 80mm reinforced aluminum, corrosion-resistant, for training and competition sessions
Powder coated & Hot dip galvanised tube
Foldable arches for easy transport and storage
Quality parts: HDPP knotless net, ground stakes for stability



QMHD-HD10

SIZE

9.8x6.6ft (3x2m)

MATERIAL


Aluminum - 80*80mm Main frame
Galvanized steel - ϕ 32mm back poles

WEIGHT

Net weight per unit: 51kg
Weight per pair: 102kg

FEATURES

Sturdy: 80mm reinforced aluminum, impact/corrosion-resistant, indoor/outdoor
Vibrant & lasting: Multi-color, 200mm two-tone, fade-proof
Stable: special structure which makes the goal more stable
Quality net: HDPP knotless, double-stitched, well-fitted
Versatile: Wear-resistant, for training & matches



QMHD-HD10C

SIZE

9.8x6.6ft (3x2m)

MATERIAL

Steel - 80*80mm Main frame
Steel - ϕ 32mm back poles

WEIGHT

Net weight per unit: 43kg
Weight per pair: 86kg

FEATURES

Sturdy: 80mm heavy steel, impact/rust-resistant, indoor/outdoor use
Easy install: Simple setup, secure, durable
Vibrant & lasting: Multi-color, 200mm two-tone, fade-proof
Stable: special structure which makes the goal more stable
Quality net: PE knotted, double-stitched, well-fitted



QMHD-HD10S

SIZE

9.8x6.6ft (3x2m)

MATERIAL

Aluminum - 80*80mm Main frame
Galvanized steel - ϕ 32mm back poles

WEIGHT

Net weight per unit: 48kg
Weight per pair: 96kg

FEATURES

Tournament-grade: 80mm reinforced aluminum, impact/corrosion-resistant, indoor/outdoor
Vibrant & lasting: Multi-color, 200mm two-tone, fade-proof
Stable: special structure which makes the goal more stable
Quality net: Double-layer (anti-rebound), HDPP knotless, sturdy
Versatile: Meets standards, fits training & matches

SHELTERS MUST BE ANCHORED AT ALL TIMES



QMS-A10-SP


SIZE
22.6'L x 8'W x 7.7'H (6.9* 2.46*2.35m)

MATERIAL
Steel - shelter frame
Panel: 3mm polycarbonate panel



CUSTOM TEAM SHELTER (LUX SEATS) QMS-A810-AL

- SIZE** 22.6'L x 8'W x 7.7'H (6.9* 2.46*2.35m)
- MATERIAL** Aluminum - shelter frame
Panel: 3.5mm polycarbonate panel
- WHEEL** 4" heavy-duty double-brake polyurethane casters
- INCLUDES** Luxury seats



FEATURES

- Large capacity: 18-seat double row, for big events
- Light & tough frame: Extra-thick aluminum, rust-proof, easy to move
- Sturdy & clear: 3.5mm shatterproof polycarbonate, impact-resistant, good view
- Comfort & safe: Spacious, wide passages + proper spacing
- Mobile & customizable: Heavy-duty silent wheels, seats/overall customizable



QMS-A8-AL

SIZE
22.6'L x 8'W x 7.7'H (6.9* 2.46*2.35m)

MATERIAL
Aluminum - shelter frame
Panel: 5mm polycarbonate panel





(LUX SEATS) QMS-C68-AL

CUSTOM TEAM SHELTER


- SIZE** 22.6'L x 8'W x 7.7'H (6.9* 2.46*2.35m)
- MATERIAL** Aluminum - shelter frame
Panel: 5mm polycarbonate panel
- WHEEL** 10" heavy-duty double-brake polyurethane casters
- OPTIONAL** Luxury seats / PP seats

FEATURES

- Large-Capacity: Double-row modular seats, fit for large events
- Light & Sturdy Frame: Extra-thick aluminum alloy, rust-proof, easy to move
- Stable & Clear Windows: 5mm shatterproof PC panels, high impact resistance, wide view
- Comfort & Safe: Spacious interior, wide passages, reasonable seat spacing
- Flexible & Customizable: 10" Heavy-duty silent wheels; seats/overall style customizable



(PP SEATS) QMS-C810-AP



QMS-D810-AP

- SIZE** 22.6'L x 8'W x 7.7'H (6.9* 2.46*2.35m)
- MATERIAL** Aluminum - shelter frame
Panel: 3mm polycarbonate panel



QMS-D68-AL

- SIZE** 22.6'L x 8'W x 7.7'H (6.9* 2.46*2.35m)
- MATERIAL** Aluminum - shelter frame
Panel: 5mm polycarbonate panel





CUSTOM SHELTER QMS-C4-AL



- SIZE** 8.2× 5.5ft (2.5x 1.69m)
- MATERIAL** Aluminum - shelter frame Powder coated
Panel: 5mm polycarbonate panel
- INCLUDES** Luxury seats



FEATURES

Multifunctional: Fits scenarios/events, 4-person, comfort/safety guaranteed.
 Quality: Extra-thick premium aluminum, rust-proof, durable, lightweight, easy to move.
 Protection: 5mm shatterproof polycarbonate, impact-resistant, good visibility.
 Mobility: 250mm solid rubber universal wheels with brakes, strong load-bearing.
 Structure: Separately movable seat/frame; leather seats with hand made.



CUSTOM SHELTER QMS-C4-AP



- SIZE** 8'L× 5'W ×6.6'H (2.5* 1.5*2m)
- MATERIAL** Aluminum - shelter frame Powder coated
Panel: 5mm polycarbonate panel
- INCLUDES** Luxury seats



FEATURES

Multifunctional: Fits scenarios/events, 4-person, comfort/safety guaranteed.
 Quality: Extra-thick premium aluminum, rust-proof, durable, lightweight, easy to move.
 Protection: 5mm shatterproof polycarbonate, impact-resistant, good visibility.
 Mobility: 250mm solid rubber universal wheels with brakes, strong load-bearing.
 Structure: Separately movable seat/frame; PP seats



CUSTOM BLEACHERS QMB-A1027FL3H-L

Customized grandstand length, rows, seats



Convenient Access: 3-foot side aisles, 3-foot step ladder on one side, accessible via stairs for easy entry/exit.

Sturdy: 5mm 6063-T5 angle aluminum base, fixable via screws/anchors

Quality materials: 6061-T6 aluminum seats, 3 footrests, baffles (anodized); end caps with blind rivets

Specs: 9 rows, front height 54-1/3", seats 1-3/4"x9-1/2", 27' length, 153-capacity

Safe and Reliable: Equipped with galvanized steel pipe railings, chain link fence for enhanced safety.





CUSTOM BLEACHERS QMB-A515FL1H

Customized grandstand length, rows, seats


Durable Material: 6063-T5 aluminum angle frame, 6061-T6 aluminum alloy seats (anodized), and galvanized handrails.

Secure Installation: Fixed with expansion screws or ground anchors for safe structure.

Practical Capacity: 15 feet long, 5 rows, accommodating 42 people, with a 3-foot-wide side aisle.

Comfortable Dimensions: Front row height 17-7/8 inches, seat plate/footrest 1-3/4" × 9-1/2".

Convenient Design: Access via stairs, with end caps connected by blind rivets.





4 ROW TIP N' ROLL QMB-A421ML1

Custom Tip N' Roll length, rows, seats, backrest

Premium Material: Seat plates, 6061-T6 aluminum (stronger than 6063-T5), anodized/sandblasted; all-aluminum


Stable & Anti-Corrosion: Galvanized bolts/flange nuts, anti-rust/anti-loosening.

Fine Craft: Anodized components, wear/corrosion-resistant, durable.

Easy Assembly: Simple structure, quick to install/disassemble.

Movable & Space-Saving: Rubber casters + polyurethane pads, floor-protective, flexible, tiltable for storage.

**6061-T6 Aluminum (Stronger Than 6063-T5)
Anodized / Sandblasted**

FOOTBOARD	MODEL	ROWS	LENGTHS	SEATS	WEIGHT
 <p>Single</p>	QMB-A408ML1	4	7.5'/2.3m	20	81kg
	QMB-A409ML1	4	9'/2.75m	24	91kg
	QMB-A412ML1	4	12'/3.66m	32	126kg
	QMB-A415ML1	4	15'/4.6m	40	148kg
	QMB-A421ML1	4	21'/6.4m	56	204kg



2 ROW TIP N' ROLL QMB-A208ML1

Premium Material: Seat plates, 6061-T6 aluminum, anodized/sandblasted;
 All-aluminum, light/eco-friendly.
 Stable & Anti-Corrosion: Galvanized bolts/flange nuts, anti-rust/anti-loosening.
 Fine Craft: Anodized components, wear/corrosion-resistant, durable.
 Easy Assembly: Simple structure, quick to install/disassemble.
 Movable & Space-Saving: Rubber casters + PU pads (floor-protective), easy to storage

FOOTBOARD	MODEL	ROWS	LENGTHS	SEATS	WEIGHT
	QMB-A208ML1	2	7.5'/2.3m	10	37kg
	QMB-A209ML1	2	9'/2.75m	12	41kg
	QMB-A212ML1	2	12'/3.66m	16	57kg
	QMB-A215ML1	2	15'/4.6m	20	68kg
	QMB-A221ML1	2	21'/6.4m	28	93kg



3 ROW TIP N' ROLL QMB-A308ML1

Premium Material: Seat plates, 6061-T6 aluminum, anodized/sandblasted;
 All-aluminum, light/eco-friendly.
 Stable & Anti-Corrosion: Galvanized bolts/flange nuts, anti-rust/anti-loosening.
 Fine Craft: Anodized components, wear/corrosion-resistant, durable.
 Easy Assembly: Simple structure, quick to install/disassemble.
 Movable & Space-Saving: Rubber casters + PU pads (floor-protective), easy to storage

FOOTBOARD	MODEL	ROWS	LENGTHS	SEATS	WEIGHT
	QMB-A308ML1	3	7.5'/2.3m	15	58kg
	QMB-A309ML1	3	9'/2.75m	18	66kg
	QMB-A312ML1	3	12'/3.66m	24	91kg
	QMB-A315ML1	3	15'/4.6m	30	108kg
	QMB-A321ML1	3	21'/6.4m	42	148kg





QMB-AP8-M

SIZE 7.5ft (2.3m) -Customizable
CAPACITY 5 persons
MATERIAL Steel - support frame



QMB-AP8-D

SIZE 7.5ft (2.3m) -Customizable
CAPACITY 5 persons
MATERIAL Steel - support frame



QMB-AP8-E

SIZE 7.5x1.5ft (2.3x0.46m) -Customizable
CAPACITY 5 persons
MATERIAL Aluminum - main frame



QMB-AP8-A

SIZE 7.5x2.8ft (2.3x0.85m) -Customizable
CAPACITY 5 persons
MATERIAL Aluminum - main frame



QMB-AP8-C

SIZE 7.5'L x 3.2'W (230* 99cm) -Customizable
CAPACITY 5 persons
MATERIAL Aluminum - main frame



QMB-AP8-K

SIZE 7.5'L x 5.6'W (230* 170cm) -Customizable
CAPACITY 10 persons
MATERIAL Aluminum - main frame



ST-05

ST-07

AL-05

AL-07

CF-09

089A

XTP-089A

Portable Volleyball Post System

089B

XTP-089B

Portable Volleyball Post System

ST-05

Steel Inground Volleyball Post

ST-07

Steel Inground Volleyball Post

AL-05

Aluminum Inground Volleyball Post

AL-07

Aluminum Inground Volleyball Post

CF-09

Carbon Fibre Inground Volleyball Post



Volleyball referee chair (Optional)



Volleyball posts



Padding (Optional)



Net Antennas



Volleyball net



Brass floor plate/sleeve (Optional)



Floor plate/sleeve



Worm gear net tension system

ST-05

Steel inground volleyball post



QMST-05

Steel

Product	Steel inground volleyball post
Material	High-Quality Steel
Net Tension	Worm Gear Net Tension System
Height adjustment	Spring Assist Pin Stop
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter/ Weight	Φ89mm (3.5") ≈ 50kg/Pair
Top Pulley	Al Alloy Pulley Block
Include	Net, Net Antennas , Post, 1 Crank
Pole Padding	PVC pole padding / Custom LOGO
Ground sleeve	Standard ground sleeve Hinged brass-coated floor socket with ground sleeve (Option)



ST-07

Steel inground volleyball post



QMST-07

Steel

Product	Steel inground volleyball post
Material	High-Quality Steel
Net Tension	Worm Gear Net Tension System
Height adjustment	Bevel gear adjustment by crank
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter/ Weight	Φ89mm (3.5") / ≈52kg/Pair
Top Pulley	Al Alloy Pulley Block
Include	Net, Net Antennas , Post , 2 Cranks
Pole Padding	PVC pole padding / Custom LOGO
Ground sleeve	Standard ground sleeve Hinged brass-coated floor socket with ground sleeve (Option)



AL-05

Aluminum inground volleyball post



AL-07

Aluminum inground volleyball post



QMAL-05

Aluminum

Product	Aluminum inground volleyball post
Material	High-quality Aluminum
Net Tension	Worm Gear Net Tension System
Height adjustment	Spring Assist Pin Stop
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter/ Weight	Φ89mm (3.5") ≈ 30kg/Pair
Top Pulley	Al Alloy Pulley Block
Include	Net, Net Antennas , Post , 1 Crank
Pole Padding	PVC pole padding / Custom LOGO
Ground sleeve	Standard ground sleeve Hinged brass-coated floor socket with ground sleeve (Option)

QMAL-07

Aluminum

Product	Aluminum inground volleyball post
Material	High-quality Aluminum
Net Tension	Worm Gear Net Tension System
Height adjustment	Bevel gear adjustment by crank
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter/ Weight	Φ89mm (3.5") ≈ 32kg/Pair
Top Pulley	Al Alloy Pulley Block
Include	Net, Net Antennas , Post , 2 Cranks
Pole Padding	PVC pole padding / Custom LOGO
Ground sleeve	Standard ground sleeve Hinged brass-coated floor socket with ground sleeve (Option)

ALPT-089DS

Aluminum inground volleyball post



ALPT-089DS

Aluminum

Product	Aluminum inground volleyball post
Material	High-Quality Al Alloy
Net Tension	Ratchet Net Tension System
Height adjustment	Spring Assist Pin Stop
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter/ Weight	Φ89mm (3.5") ≈ 32kg/Pair
Top Pulley	Al Alloy Pulley Block
Include	Net, MarkerPoles, Post, 1 Crank
Pole Padding	PVC pole padding / Custom LOGO
Ground sleeve	Standard ground sleeve Hinged brass-coated floor socket with ground sleeve (Option)



CF-09

Carbon Fiber Volleyball Posts



CF-09

Carbon Fiber

Product	Carbon fibre inground volleyball post
Material	High-strength carbon fiber
Net Tension	Worm Gear Net Tension System
Height adjustment	Bevel gear adjustment by crank
Height Range	Height: 198-243cm
Scale	Screen-printed scale
Diameter/ Weight	Φ76mm (3"); ≈ 28kg/pair
Top Pulley	Aluminum pulley block
Include	Net, MarkerPoles, Post, 2 Cranks
Pole Padding	PVC pole padding / Custom LOGO
Ground sleeve	Standard ground sleeve Hinged brass-coated floor socket with ground sleeve (Option)





XTP-089A

Steel

Product	Portable volleyball post system
Material	High-quality Steel
Net Tension	Ratchet Net Tension System
Height adjustment	Spring Assist Pin Stop
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter	Φ89mm (3.5")
Weight	≈ 170kg/Pair Counterweight: 200kg
Wheel	3" wear-resistant nylon wheel
Include	Net, MarkerPoles,Post, 1 Crank
Pole Padding	PVC pole and base box padding / Custom LOGO



XTP-089B

Steel

Product	Portable volleyball post system
Material	High-quality steel
Net Tension	Worm Gear Net Tension System
Height adjustment	Bevel gear adjustment by crank
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter	Φ89mm (3.5")
Weight	≈ 170kg/Pair Counterweight: 200kg
Wheel	3" wear-resistant nylon wheel
Include	Net, MarkerPoles,Post, 1 Crank
Pole Padding	PVC pole and base box padding / Custom LOGO



PO-089

Steel

Product	Floor fixed volleyball post system
Material	High-quality steel
Net Tension	Worm Gear Net Tension System
Height adjustment	Spring Assist Pin Stop
Height Range	198-243cm
Scale	Laser Engraved Height Mark
Diameter/Weight	Φ89mm (3.5"); ≈ 50kg/pair
Top Pulley	High-strength nylon pulley block
Base	Ground anchor volleyball post base
Include	Net, MarkerPoles,Post, 1 Crank
Pole Padding	PVC pole and base box padding / Custom LOGO



QMP-089SP

BASIC OUTDOOR VOLLEYBALL POST

		Steel
Product	Outdoor Volleyball Post	
Material	High-quality steel	
Tightening device	Ratchet tensioner, easy to operate	
Lifting Method	None	
Lifting Height	250 cm	
Scale	None	
Size/Weight	Φ89mm 61kg / pair	
Top Pulley	Aluminum alloy pulley set	
Embedded Parts	Basic type	
Contents	Net, net antennas , post , 1 cranks	
Sheath	Available padding	



PW-089

MULTI-USE OUTDOOR VOLLEYBALL POST

		Steel
Product	Multi-use Outdoor Volleyball Post	
Material	High-quality steel	
Tightening device	Ratchet tensioner, easy to operate	
Lifting Method	Up-and-down	
Lifting Height	Freely adjustable from 0 to 250 cm	
Scale	None	
Size/Weight	Φ89mm 62kg / pair	
Top Pulley	Aluminum alloy pulley set	
Embedded Parts	Basic type	
Contents	Net, net antennas , post , 1 cranks	
Sheath	Available padding	



P-AL80

MULTI-USE OUTDOOR VOLLEYBALL POST

		aluminium
Product	Multi-use Outdoor Volleyball Post	
Material	High-quality aluminium	
Tightening device	Ratchet tensioner, easy to operate	
Lifting Method	Up-and-down	
Lifting Height	Freely adjustable from 0 to 250 cm	
Scale	None	
Size/Weight	80mm 12kg / pair	
Top Pulley	Aluminum alloy pulley set	
Embedded Parts	Basic type	
Contents	Net, net antennas , post , 1 cranks	
Sheath	Available padding	





VOLLEYBALL REFEREE CHAIR

Multi-surface: Non-slip pads for wood, rubber, and other floors.
 Adjustable height: Worm gear drive for optimal viewing height.
 Comfortable seating: Ergonomic seat and backrest, Customizable cushion.
 Professional look: Clean design with optional logo and lights.
 Versatile use: Modular design for various scenarios.



QMPC-320A

Volleyball referee chair (foldable)
 Galvanized steel frame with powder coating finish
 $\phi 32$ high strength steel main pipe with 1.5mm thickness
 5" TPR casters for easy movement and transportation



QMPC-320B

Volleyball referee chair (foldable)
 Galvanized steel frame with powder coating finish
 $\phi 32$ high strength steel main pipe with 1.5mm thickness
 5" TPR casters for easy movement and transportation



QMPC-320A

Volleyball referee chair (detachable design)
 Non-slip, durable patterned platform.
 Wheels on the base for mobility when folded.
 Easy to operate, lightweight, single-person setup and storage.



PADDING

Including 2 pcs padding
 Padding height 6', thickness 2"
 Waterproof PVC and high density foam
 Custom colors; custom logo print

Weight : 5kg/pair
 Size : L14" W6" H71"
 Cube : 0.2m³


UPRIGHT PAD SPECIFICATIONS

	WEIGHT	SIZE	CUBE
A-PAD	5kg/pair	L14" W6" H71"	0.2m ³
B-PAD	5kg/pair	L13" W3" H71"	0.2m ³



PORTABLE VOLLEYBALL POST PAD

Absorbs shock and protects products from damage.
 Does not absorb water, suitable for humid environments.
 Resistant to acids and alkalis, with a long service life.
 Easy to carry, soft and scratch-resistant.
 Recyclable, in line with green concepts.



BRASS FLOOR PLATE/SLEEVE

Flooring socket diameters: 3", 3.5", or 4".
 Post diameters: 3" or 3.5".
 Measure your system for a perfect fit.
 Use an insert tube to adjust ID or depth.
 Lids: brass or chrome coated.





CUSTOMIZABLE BALLS

Durable Material: High-elastic PU Synthetic Leather / Premium Rubber
 Precise Grip: Special Surface Texture
 Excellent Rebound: Built-in High-performance Butyl Rubber Bladder
 Various Models: Adult Match, Youth Training & Beach Volleyballs



CUSTOMIZABLE NET

PE Woven Mesh: High tensile strength, sun/abrasion resistant
 Height (Men: 2.43m / Women: 2.24m), Width: 9.5m, Mesh: 10×10cm
 Elastic drawstrings / reinforced edges around
 White dividers & red markers on both sides (clear for boundaries)



QMPS-030-3

Self-standing rack keeps nets clean and tangle-free, with stable casters.
 30*30mm powder-coated square tubes for protection.
 Front net storage and three-tube base for stability.
 Three 2-inch casters and adjustable slots for 1-3 nets.



QMVE-WM-045

Strong universal compatibility: It is suitable for volleyball posts of various specifications, meeting the needs of different scenarios such as professional competitions and school training.



QMPY-097

97×3mm galvanized steel pipes for secure post fittings.
 3-inch nylon casters for smooth movement.
 Compact steel cup for quick setup and storage.
 Drainage holes and painted surface for all-weather use.



QMPZ-050

Volleyball equipment cart
 Galvanized steel 50*50mm square tube 2mm thickness
 3" Polyurethane universal wheels with brake
 Capacity 3 pairs volleyball poles and accessories

PADEL COURT

LHY -915B



Lighting system:
 8 group LED lamp, each group 200W
 IP 65 waterproof LED lamp beads
 Lamp height 6000mm
 Brightness 300Lux

Custom pole padding
 (optional)

1 Set padel tennis net post :

- 100*100*4mm aluminum tube
- 1 tennis net, 3mm thicknesses
- 2 side locking ropes
- 1 center strip
- 1 handle

Column and metal net : hot dip galvanized steel pipe

- Main Column: 80*80*3mm, corner column is customized with irregular shape
- Beam: square tube 40*80*2.5mm
- Mesh frame: 40*40mm square tube
- Hole :50*50mm
- Mesh: steel diameter 4mm

Tempered Glass:
 12mm thickness
 18pcs 2000*3000mm
 CCC certified

Artificial Turf :
 Height:12mm Density:52500
 Standard size width 4000mm/2000mm
 Length: 20000 mm
 Backing:Strong PU backing 204 square meters
 Color:Blue / Green



LHY-915B

SIZE	20m × 10m, 4m (ends)/3m (middle) height
TEMPERED GLASS	Explosion-proof (CCC), 2*3m*12mm, 18 pcs
POST FENCE	Hot-dip galvanized steel pipe Corner posts 100*100*3mm square tube Posts/crossbeams 50*100mm tube Fence mesh 50*50mm holes/4mm wire
LIGHTING	6m poles (in netting) 4/8 sets 200W LEDs (IP65) 300 lux
TENNIS POST	100*100*3mm square tube (built-in tension) Net height 920mm
MOUNTING	Expansion tube 304 stainless steel screws (rust-resistant)
LAWN	Curly short grass 12mm high, density: 52,500 pins/m ² Customizable blue/green




LHY-912B

SIZE	20m × 10m, 4m (ends)/3m (middle) height
TEMPERED GLASS	Explosion-proof (CCC), 2*3m*12mm, 18 pcs
POST FENCE	Hot-dip galvanized steel pipe Corner posts 120*120*3mm diamond-shaped Columns 100*100*3mm square tube Crossbeams 50 × 100 × 2.5mm tube Mesh frame 50 × 50/30 × 50mm tube Fence mesh 50*50mm holes/4mm wire
LIGHTING	6m poles (in netting) 4/8 sets 200W LEDs (IP65) 300 lux
TENNIS POST	100*100*3mm square tube (built-in tension) Net height 920mm
MOUNTING	Expansion tube 304 stainless steel screws (rust-resistant)
LAWN	Curly short grass 12mm high, density: 52,500 pins/m ² Customizable blue/green



LHY-910

SIZE	20m × 10m, 4m (ends)/3m (middle) height
TEMPERED GLASS	Explosion-proof (CCC), 2*3m*12mm, 18 pcs
POST FENCE	Hot-dip galvanized steel pipe Corner posts 80*80*3mm tube Crossbeams: 40*80*2.5mm tube Mesh frame: 40 × 80mm/40 × 40mm tube Fence mesh 50*50mm holes/4mm wire
LIGHTING	6m poles (in netting) 4/8 sets 200W LEDs (IP65) 300 lux
TENNIS POST	100*100*3mm square tube (built-in tension) Net height 920mm
MOUNTING	Expansion tube 304 stainless steel screws (rust-resistant)
LAWN	Curly short grass 12mm high, density: 52,500 pins/m ² Customizable blue/green



WU-080AW

Aluminum


Product	Square Tube Inground Tennis Post
Material	Reinforced Aluminum
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	4mm
Weight	≈ 12kg/Pair
Net	3mm PE Braid. Net Rope

Include 1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip



WU-080SW

Steel

Product	Square Tube Inground Tennis Post
Material	High-quality Steel
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 22kg/Pair
Net	3mm PE Braid. Net Rope

Include 1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip



WU-080SR

Steel

Product	Square Tube Inground Tennis Post
Material	High-quality Steel
Color	Green/Black
Net Tension	Ratchet External winder
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 22kg/Pair
Net	3mm PE Braid. Net Rope

Include 1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip



WU-076SW

Steel

Product	Round Pipe Inground Tennis Post
Material	High-quality Steel
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	Φ76mm
Thickness	3mm
Weight	≈ 19kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip



WU-076SR

Steel

Product	Round Pipe Inground Tennis Post
Material	High-quality Steel
Color	Green/Black
Net Tension	Ratchet External winder
Tube Size	Φ76mm
Thickness	3mm
Weight	≈ 19kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip



WU-W076SW

Wood

Product	Round Pipe Inground Tennis Post
Material	Solid Oak
Color	Wood color
Net Tension	Worm Gear Internal Winder
Tube Size	Φ76mm
Thickness	Solid
Weight	≈ 28kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Steel insert surface mount system

Central strip



WU-080AWS Aluminum

Product	Square Tube Inground Tennis Post
Material	Reinforced Aluminum
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	4mm
Weight	≈ 12kg/Pair
Net	3mm PE Braid. Net Rope (Quick setup)
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip




BWU-080AW Aluminum

Product	Surface Mount Tennis Post
Material	Reinforced Aluminum
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	4mm
Weight	≈ 16kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 Net, 2 Side Locking Ropes, 1 Center Divider, 1 S/S Crank Handle, 12 Exp. Bolts (M12100), and 1 Ring Exp. Bolt (M880)



Steel insert surface mount system

Central strip



BWU-080SW Steel

Product	Surface Mount Tennis Post
Material	High-quality Steel
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 28kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 Net, 2 Side Locking Ropes, 1 Center Divider, 1 S/S Crank Handle, 12 Exp. Bolts (M12100), and 1 Ring Exp. Bolt (M880)



Central strip



PBU-080AS

Aluminum

Product	Square Tube Inground Pickleball Post
Material	Reinforced Aluminum
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	4mm
Weight	≈ 12kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts

Fixed by straight-through bent round bar, replacing trad. locking rope



Embedded parts

Central strip



Optional Aluminum Pickleball Post

PBU-080SW

Steel

Product	Square Tube Inground Pickleball Post
Material	High-Quality Steel
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 19kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip



PBU-080SR

Steel

Product	Square Tube Inground Pickleball Post
Material	High-Quality Steel
Color	Green/Black
Net Tension	Ratchet External winder
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 20kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



Embedded parts

Central strip

PICKLEBALL POST



PBU-076SW

Steel

Product	Round Pipe Inground Pickleball Post
Material	High-Quality Steel
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	Φ76mm
Thickness	3mm
Weight	≈ 19kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 piece of net, 2 pieces of side locking ropes, 1 piece of center divider, 1 piece of stainless steel crank handle, and 2 pieces of embedded parts



PBO-080SW

Steel

Product	Surface Mount Pickleball Post
Material	High-Quality Steel
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 28kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 Pickleball Net; 2 Side Lock. Ropes 1 Ctr. Divider; 1 S/S Crank Hdl. Expansion Bolts (M12*100): 12 Pcs



PBO-080AW

Aluminum

Product	Surface Mount Pickleball Post
Material	Reinforced Aluminum
Color	Green/Black
Net Tension	Worm Gear Internal Winder
Tube Size	80*80mm
Thickness	4mm
Weight	≈ 16kg/Pair
Net	3mm PE Braid. Net Rope
Include	1 Pickleball Net; 2 Side Lock. Ropes 1 Ctr. Divider; 1 S/S Crank Hdl. Expansion Bolts (M12*100): 12 Pcs





Wheeled storage bag (optional)

PB-100

Steel

Product	Basic Mobile Pickleball Stand
Material	High-Quality Steel. / Black Powder-Coated Finish(Color Custom.)
Net Tension	N/A
System Size	L672*W56*H92cm
Tube Size	25*25mm
Main Tube	30*50*1.5mm
Weight	≈ 16kg/Pair
Movement	5 pcs universal wheels with brake (2" Nylon Wheel)
Net	2mm Polyester Knotless Net Rope
Include	1 Net Storage Bag (Optional)



360°

Central strip

PB-300SR

Steel

Product	External Ratchet Adjustment / Pickleball Post
Material	High-Quality Steel. / Black Powder-Coated Finish(Color Custom.)
Net Tension	External Ratchet Tensioner
System Size	L695*W70*H92cm
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 66kg/Pair
Movement	5 pcs universal wheels with brake (2" Nylon Wheel)
Net	3mm PE Net Rope
Include	1 Net; 2 Side Lock. Ropes 1 Central strip; 1 Stainless steel crank



360°

Central strip

PB-300SW

Steel

Product	Premium Pickleball Post (Internal Worm Gear Tensioner)
Material	High-Quality Steel. / Black Powder-Coated Finish(Color Custom.)
Net Tension	Worm Gear Internal Winder
System Size	L695W70H92cm
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 64kg/Pair
Movement	5 pcs universal wheels with brake (2" Nylon Wheel)
Net	3mm PE Braided Net Rope
Include	1 Net; 2 Side Lock. Ropes 1 Central strip; 1 Stainless steel crank



PB-300ZW

Steel

Product	Premium Pickleball Post (Foldable)
Material	High-Quality Steel. / Black Powder-Coated Finish(Color Custom.)
Net Tension	Worm Gear Internal Winder
System Size	L695*W70*H92cm
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 58kg/Pair
Movement	4 pcs universal wheels with brake (2" Nylon Wheel)
Net	3mm PE Braided Net Rope
Include	1 Net; 2 Side Lock. Ropes 1 Central strip; 1 Stainless steel crank



PB-400

Steel

Product	Premium Pickleball Stand (Heavy-Duty)
Material	High-Quality Steel. / Black Powder-Coated Finish(Color Custom.)
Net Tension	Worm Gear Internal Winder
System Size	L695*W70*H92cm
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 63kg/Pair
Movement	N/A
Net	3mm PE Braided Net Rope
Include	1 Net; 2 Side Lock. Ropes 1 Central strip; 1 Stainless steel crank



PB-500

Steel

Product	Flagship Pickleball Post (Height-Adjustable)
Material	High-Quality Steel. / Black Powder-Coated Finish(Color Custom.)
Net Tension	Worm Gear Internal Winder
System Size	L695*W70*H92cm
Tube Size	80*80mm
Thickness	2.75mm
Weight	≈ 64kg/Pair
Movement	5 pcs universal wheels with brake (1.5" Nylon Wheel)
Net	3mm PE Braided Net Rope
Include	1 Net; 2 Side Lock. Ropes 1 Central strip; 1 Stainless steel crank

TIPS: Multiple cranks photo for final look show, one crank in supply

Flexi

Multi 2 in 1 Net System

Badminton + Pickleball

Dual-Sport Design:

Multi sport use post for badminton and pickleball game. it is made of high quality steel and aluminum profile. base box is made of steel, post is made of aluminum. slide system will make different height for 2 games, rear side with 2 wheels to move the sytem.

BPX-080AS

Product	2 in 1 Post System
Base Box	Steel - 600*320*310mm
Post	Aluminum - φ80mm
Height adjustment	Slide System
Surface treatment	Powder Coating
Wheel	2.5" heavy duty nylon wheels
Weight	66kg/Pair
Counterweight	Sand and gravel 40kg/piece
Net	2"Polyester knotless rope




Y-7090

HIGH QUALITY BADMINTON POSTS



 	Steel
Product	Badminton Post
Material	High-quality steel
Net Tension	Ratchet tensioner, easy to operate
Color	Yellow
Height	158 cm
Base size	100*30cm
Post diameter	Φ42mm
Weight	45kg
Wheel	High-strength nylon wheel
Include	Badminton posts and nets
Optional	Customizable LOGO





Y-7120

HIGH QUALITY BADMINTON POSTS



 	Steel
Product	Badminton Post
Material	High-quality steel
Net Tension	Ratchet tensioner, easy to operate
Color	Yellow
Height	158 cm
Base size	100*30cm
Post diameter	Φ42mm
Weight	60kg
Wheel	High-strength nylon wheel
Include	Badminton posts and nets
Optional	Customizable LOGO





PRO-GRADE AL HURDLE

SIZE	L120 × W70 × H76.2-106.7 cm
MATERIAL	Aluminum
HEIGHT	5 levels adjustment (76.2cm~106.7cm)
WEIGHT	11kg

FEATURES

Main body is constructed from high-strength aviation aluminum alloy and anodized for significantly improved hardness, wear resistance, and corrosion resistance, extending its service life. It is available in a variety of standard racing colors. Designed with flexibility and safety, The height is adjustable to fit different events (e.g., men's 110m hurdles, women's 100m hurdles); the weight can be added to ensure stability in all wind speed conditions;

QMA-HU1



QMA-HU1E

SIZE

L120 × W70 × H76.2-106.7 cm

MATERIAL

Stainless Steel

HEIGHT

5 levels adjustment (76.2cm~106.7cm)

WEIGHT


14kg

COUNTERWEIGHT

Adjustable counterweight

FEATURES

High-strength stainless steel core – sturdy, durable, stable under heavy use/harsh conditions
 Height-adjustable for men's 110m, women's 100m hurdles, etc. For pro training & competition
 Weight-adjustable base – stable in all winds, anti-tipping
 Round-tube base (no sharp edges) – prevents collision injuries, boosts safety



QMA-HU2

SIZE

L120 × W70 × H76.2-106.7 cm

MATERIAL

Steel

HEIGHT

5 levels adjustment (76.2cm~106.7cm)

WEIGHT


7.5kg


COUNTERWEIGHT

Adjustable counterweight

FEATURES

Steel core with precision treatment, rust-resistant and durable, maintaining a smooth finish and strong structure, suitable for high-intensity training
 Multiple standard color options, adapting to different venues
 Adjustable height and weight, flexibly suitable for training, stable and reliable





QMA-BL1S

SIZE	100cm×10cm	PEDAL PADS	Prefabricated thick rubber pads
MATERIAL	Aluminum	PADS SIZE	Extra wide full size, 17cm×26cm
THICKNESS	7mm	PEDAL ANGLE	5-Position Adjustment
LONG SPIKES	3 pieces	WEIGHT	7 KG

FEATURES

- Aerospace-grade aluminum alloy
- 7mm thickened Center Rail for strong impact resistance.
- 5-position angle adjustment
- Gunmetal anodized finish combines high hardness with striking visual appeal
- Enlarged positioning plates greatly increase ground contact area
- Extended and widened Pedals are better fit athletes' foot sizes.
- Handles facilitate transfer and transportation



QMA-BL1S

SIZE	100cm×10cm
MATERIAL	Aluminum
THICKNESS	7mm
LONG SPIKES	3 pieces
PEDAL PADS	Prefabricated thick rubber pads
PADS SIZE	Extra wide full size, 17cm×26cm
PEDAL ANGLE	5-Position Adjustment
WEIGHT	7 KG

FEATURES

Aerospace-grade aluminum alloy
 7mm thickened Center Rail for strong impact resistance.
 5-position angle adjustment
 Gunmetal anodized finish combines high hardness with striking visual appeal
 Enlarged positioning plates greatly increase ground contact area
 Extended and widened Pedals are better fit athletes' foot sizes.
 Handles facilitate transfer and transportation




QMA-BL1

SIZE	90cm×8cm
MATERIAL	Aluminum
THICKNESS	6mm
LONG SPIKES	3 pieces
PEDAL PADS	Prefabricated thick rubber pads
PADS SIZE	Full size, 11cm x 23cm
PEDAL ANGLE	4-Position Adjustment
WEIGHT	6.3 KG

FEATURES

Aerospace-grade aluminum alloy
 6mm thickened Center Rail for strong impact resistance.
 4-position angle adjustment
 Gunmetal anodized finish combines high hardness with striking visual appeal
 Enlarged positioning plates greatly increase ground contact area
 Extended and widened Pedals are better fit athletes' foot sizes.
 Handles facilitate transfer and transportation




QMA-BL2

SIZE	81cm×8cm
MATERIAL	Aluminum
THICKNESS	5mm
LONG SPIKES	No
PEDAL PADS	Prefabricated thick rubber pads
PADS SIZE	Half size, 9.5cm×15.5cm
PEDAL ANGLE	6-Position Adjustment
WEIGHT	4 KG

FEATURES

Aerospace-grade aluminum alloy
 5mm thickened Center Rail for strong impact resistance.
 6-position angle adjustment
 Gunmetal anodized finish combines high hardness with striking visual appeal
 Enlarged positioning plates greatly increase ground contact area
 Extended and widened Pedals are better fit athletes' foot sizes.
 Handles facilitate transfer and transportation



QMA-BL3

SIZE	81cm×9cm
MATERIAL	Aluminum
THICKNESS	1mm
LONG SPIKES	2 pieces
PEDAL PADS	Black hard rubber pads
PADS SIZE	Half size, 10cm×15cm
PEDAL ANGLE	6-Position Adjustment
WEIGHT	4 KG

FEATURES

Aluminum Alloy
 6-position angle adjustment
 21 positioning points on the tube
 Adapts to the technical needs of different training stages



QMA-HUC075



- SIZE** 965mm (38 in)
- WEIGHT** 30kg
- LOAD CAP.** 10 units (aff. by hurdle dims)
- MATERIAL** 32mm ϕ round steel tube
- WHEEL** 4-inch heavy-duty polyurethane tire
- COMPAT.** Hurdle base width: 960-1150mm

FEATURES

Stores 10 hurdles, fits all sizes;
Welded steel frame, stable;
Elevated tray + side stoppers, anti-fall;
Wide tray, fits 960-1150mm bottom hurdles;
4" heavy-duty polyurethane wheels, with brakes.



QMA-HUC165



- SIZE** 1650mm (65 in)
- WEIGHT** 35kg
- LOAD CAP.** 10 units (aff. by hurdle dims)
- MATERIAL** 50×30mm steel tube + 32mm round steel tube
- WHEEL** 4-inch heavy-duty polyurethane tire
- COMPAT.** Hurdle base width: 940-1140mm

FEATURES

High Cap. & Compat.: Holds 10 hurdles, fits all sizes;
Suspended Dual Prot.: Suspended, anti-collision, anti-fall;
Sturdy & Durable: Welded steel frame + reinforcement, rugged;
Wide Tray Adapt.: Wide tray, fits 940-1140mm bottom hurdles;
4" heavy-duty polyurethane wheels, with brakes.



QMA-HUC215




- SIZE** 2150mm (85 in)
- WEIGHT** 55kg
- LOAD CAP.** 20 units (aff. by hurdle dims)
- MATERIAL** 50×30mm steel tube + 32mm round steel tube
- WHEEL** 6-inch heavy-duty polyurethane tire
- COMPAT.** Hurdle base width: 940-1140mm

FEATURES

High Cap. & Compat.: Holds 20 hurdles, fits all sizes;
Suspended Dual Prot.: Suspended placement, anti-collision, anti-fall;
Sturdy & Durable: Welded steel frame + reinforcement, rugged;
Wide Tray Adapt.: Wide tray, fits 940-1140mm bottom hurdles;
6" heavy-duty PU wheels (for grass/hard, with brakes);
powder-coated, anti-corr., anti-scratch.



QMA-BLC008



LOAD CAP. 8 pieces

MATERIAL 30×30mm Aluminum Square Tube

WHEEL 4-inch heavy-duty polyurethane tire

CLUTTER TRAY Include

FEATURES

Holds 8 Starting blocks ; bottom tray for shoes, pedals, small gear.
Welded aluminum frame ; 4" PU wheels (multi-surface) + brake.
Modular design ; ergonomic handle (effort-saving).
Powder-coated surface
Wider/deeper slots ; built-in rubber pads



QMA-BLC010C



LOAD CAP. 10 pieces

MATERIAL φ32mm Steel

WHEEL 4-inch heavy-duty polyurethane tire


CLUTTER TRAY Include

FEATURES

10 starters (all sizes); bottom tray for shoes, pedals.
Welded steel frame, long-lasting.
4" PU wheels (multi-surface) + brake, easy to push.
3 holed trays (light, nice, drainage).
Modular quick assemble; spray-coated (anti-corrosion, scratch-proof).



QMA-BLC012



LOAD CAP. 12 pieces

MATERIAL 30×30mm Aluminum Square Tube

WHEEL 4-inch heavy-duty polyurethane tire

CLUTTER TRAY Include

FEATURES

12 starters (all sizes); bottom tray for shoes, pedals.
Welded aluminum frame; spray-coated, long life.
4" PU wheels + brake; ergonomic handle (effort-saving);
modular quick assemble.
Wider/deeper slots (prevent starter fall in transport).
Built-in rubber pads (protect starters from scratches).



ELECTRIC DIVIDER CURTAINS

Electric divider curtain motor and drive shaft located at top of curtain, lift up the curtain by rolling the shaft and strap distributed on curtain. when folded, curtain will be at the top of ceiling, maximum width 36m, maximum height 12m. motor parameter, servo motor, power 1.5KW, voltage 220V, frequency 50HZ. Reducer : RV75, Speed ratio 1:1000. horizontal beam 50*50*2.5mm square tube, shaft Φ 48*2.5 pipe, supporting and weighted tube Φ 48*2.0 pipe, Polyethylene high-strength pull rope, Programmable electronic limit position. curtain is composed of 2 parts, top and bottom. The top part is made of High-strength polyester fiber or glass fiber mesh fabric, bottom part is made of Polyester fiber or glass fiber + PVC coated fabric with features of high strength and tear resistance, acid and alkali resistance, odorless, fireproof B2 standard.






MANUAL DIVIDER CURTAINS

The most economical divider curtain available, featuring extra heavy duty track, steel sealed ball bearing carriers, and reinforced overlap welded joints.








Safety Assurance: Precisely divides exclusive sports spaces, eliminates collision risks, and allows worry-free sports.


Versatile Space: Divider curtains allow you to make the most effective use out of your facility

Worry-Free Ball Control: Suitable for ball sports venues, ensuring no interference between games and allowing full display of competitive charm.

Flexible Customization: Space size can be adjusted on demand, easily adapting to multi-functional venues, large-scale events, etc., and improving venue utilization.







The installation toolbox is available for separate purchase




WALL PADS

The Safety Wall Pads are indoor wood-backed wall mats designed for direct wall attachment for permanent installations. They are made with 2-inch impact-rated polyethylene foam covered with PVC Vinyl. This combination of foam and wood is wrapped on the front and sides and securely stapled onto the back. It is a great choice for any place in need, such as school gymnasiums, recreation centers, and martial arts studios to protect children and players and walls from impact. It's also popular in calm rooms, therapy rooms, or sensory rooms to create a safer environment for those with special needs.

Mounting options:

- OSB WOOD BACKING**
a common type of thermal radiant-barrier sheathing
- IMPACT RATED SOFT FOAM**
The foam will not easily flatten
- PVC**
Durable and long service life



Lip top and bottom

Z-clip top and lip bottom

Z-clip top and bottom

installation type - velcro

Fold./Fitness / Training / Gymnastics Mat

Customizable in any size and thickness, pattern printing available



PVC surface + 2-fold.
5CM thickness / 10CM thickness



PU surface + 2-fold.
5CM thickness / 10CM thickness



PVC surface + 4-fold.
Sponge density 45D -1.86m*1.2*6cm



PVC surface + 4-fold.
Sponge density 50D - 2.4m*1.2*5cm



PVC surface + 2-fold.
20CM thickness / 30CM thickness



PU surface + 2-fold.
thickness: 10cm/20cm/30cm/40cm



PVC surface + 2-fold.
Sponge density 50D -1.8m*0.6*5cm



PVC surface + 3-fold.
Sponge density 50D - 1.8m*0.6*5cm



Velvet Gymnastics Mat
Size: 100*60*10cm



PE surface
Size: 120cm*40cm*40cm



PVC surface
Size: 2.75m(L) × 10cm(top) × 15cm×6cm(bot.)



PE surface
Size: 2.75m (L) × 10cm (top) × 15cm×6cm (bot.)



BEIJING QIANGMENG SPORTS DEVELOPMENT CO.,LTD

www.qiangmengtiyu.com

+86 15300059158 +86 13391706383 +86 18201160201

andrew@qmtvip.com

Factory: Beijing Qiangmeng Sports Development Co.,Ltd Shandong Branch

International sales dept: Shandong Qiangmeng Sports Equipment Co.,Ltd



COURT TO FIELD-WE'VE GOT ALL YOU NEED