



WD-2



WD-1

CUSTOM CEILING SUSPENDED HOOPS

MATERIAL	Steel
ADJUST HEIGHT	Adjustable at 3.05m
BACKBOARD SIZE	1828mm x 1070mm x 12mm
FOLDABLE	Optional


FEATURES

- Fully welded frame (for ceiling heights up to 32')
- 72" x 42" x 1/2" Glass Backboard
- Competition Break-away rim
- Backboard protection edge pad
- 1500W 220V Servo motor (front fold triangle frame to ceiling)
- Manual Height Adjuster (optional)
- Custom colors available for additional cost





The ceiling-mounted basketball system offers outstanding stability and versatility, making it ideal for both new arenas and facility upgrades.

Designed to maximize space efficiency, it features a reinforced structure for greater load capacity, a high-strength safety belt, and a smooth electric winch for safe and easy height adjustment—ensuring reliable performance for games and training.






Our Ceiling Suspended Forward-Folding Basketball Hoop System is customized to each individual facility building design. The ceiling-mounted basketball backstop features direct hoop attachment for optimal backboard strength and performance. Approved for competition play, our steel welded structure provides maximum clearance for facilities with ceiling heights up to 12m.






A-22

MATERIAL	Steel
ADJUST HEIGHT	2.55-3.05m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Manual fold to Left and Right
FEATURES	FIBA certified



Space-saving, wall-mounted design.
 Strong and stable for intense play.
 Adjustable height, moves up and down.
 Foldable to the sides for compact storage.
 Customizable to fit different court needs.
 Easy to install, maintain, and affordable.





DZ-A8



MONSTER X5



MONSTER X3

Wall-mounted basketball system will offer space-saving options during court design. Our engineers will provide custom designs based on your facilities, we provide more options as the final solution, for example, electric folding basketball hoops, irregular shape basketball hoops, all of these solutions will guarantee the successful installation in your places and perfect meet your requirements for the all level games.






Level 1





TANK-800

MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	3.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	1100 kg
40 HQ	4 sets
FEATURES	FIBA approved level-1 basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Electric hydraulic fold system Electric control movement wheels



OPTIONAL	Shot clock with supporting rod Full ≈600kg counterweight
-----------------	---





Fatigue test on breakaway rim



UV test on PVC padding



Rust simulation test on hardware

QUALITY MANAGEMENT SYSTEM

Quality management system is built to conduct strict tests and simulation tests on key accessories, rust simulation test on hardware, UV test on PVC padding, fatigue test on the breakaway rim. All test equipment is designed and evaluate the specific performance of accessories which will provide feedback and evidence for our supply chain system.



TEMPERED GLASS BACKBOARD

This official size 1800*1050mm backboard is American standard size, brushed aluminum extrusion secure 1/2" and 3/8" thick fully tempered glass to the unitized galvanized steel frame. Official white border and target area are fired into the glass. Backboard padding is recommended for player safety, we offer different colors options to meet your need.



20cm thickness vinyl wrapping padding



Ballast Weight 25kg/pcs
≈800kg (optional)



4-Side Shot Clock (optional)






Level 2



TANK-600


MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	900 kg
40 HQ	6 sets
FEATURES	FIBA approved basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Electric hydraulic fold system Electric control movement wheels
OPTIONAL	Shot clock with supporting rod Full ≈ 600kg counterweight



Multiple colors available on backboard edge padding



Manual Bottom Cylinder Lift System



Local Control Mode to System with Buttons




Level 2





TANK-500

MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	660 kg
40 HQ	6 sets
FEATURES	FIBA approved basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Manual hydraulic fold mechanism with interact wheels



OPTIONAL	Shot clock with supporting rod Full ≈ 600kg counterweight
-----------------	--



Multiple colors available on backboard edge padding



Spinning Down Standing Feet During Use



Full Cover Protection Padding for Safety






Level 2



TANK-200

MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	550 kg
40 HQ	6 sets
FEATURES	FIBA approved basketball hoop 12mm clear view tempered glass backboard Full cover safety padding Manual hydraulic fold mechanism with interact wheels
OPTIONAL	Shot clock with supporting rod Full ≈500kg counterweight



Multiple colors available on backboard edge padding



Spinning Down Standing Feet During Use



manual bottom cylinder lift system



Level 2





Thunder 500

MATERIAL	Steel
FIXED HEIGHT	Rim to ground at 3.05m
OVERHANG	2.25m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
FOLDABLE	Yes
WEIGHT	700 kg
40 HQ	6 sets

FEATURES

- FIBA-certified 3x3 basketball stand
- Built-in 12-second timer
- Manual spring-loaded folding and lifting system
- 12mm tempered glass backboard
- Φ20 solid round steel double-spring rim

OPTIONAL Full ≈ 550kg counterweight



Multiple colors available on backboard edge padding



Spinning Down Standing Feet During Use



Full Cover Protection Padding for Safety



TANK-100

HEIGHT	Rim to ground at 3.05m
OVERHANG	2.15m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
WEIGHT	420 kg
40 HQ	6 sets
FEATURES	Tank Series Basketball Hoop Pro Specs – 3.05m rim, 7' overhang. 12mm tempered glass backboard Φ20 solid round steel double-spring rim Fully padding for effective protection
OPTIONAL	Full ≈500kg counterweight



SPRING A-05

HEIGHT	Rim to ground at 3.05m
OVERHANG	1.8m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
WEIGHT	400 kg
40 HQ	6 sets
FEATURES	Manual spring-loaded folding system Pro Specs – 3.05m rim, 5.9' overhang. 12mm tempered glass backboard Φ20 solid round steel double-spring rim Fully padding for effective protection
OPTIONAL	Full ≈500kg counterweight



FIRE Z-05

HEIGHT	Rim to ground at 3.05m
OVERHANG	1.6 m
BACKBOARD SIZE	1800mm x 1050mm x 10mm
WEIGHT	320 kg
FEATURES	Pro Specs – 3.05m rim, 5.3' overhang. 12mm tempered glass backboard Φ20 solid round steel double-spring rim Fully padding for effective protection
OPTIONAL	Full ≈350kg counterweight



ACTION A-02

HEIGHT	2.55-3.05m
OVERHANG	Up to 1.48 m
BACKBOARD SIZE	1800mm x 1050mm x 12mm
WEIGHT	260 kg

FEATURES

Durable and impact-resistant tempered glass backboard
Adjustable height for training and competition
Sturdy base for safety
Manual lift for easy and convenient movement

OPTIONAL Full ≈400kg counterweight



YOUNG KING -A09

HEIGHT	2.05-3.05m
OVERHANG	Up to 1.48 m
BACKBOARD SIZE	1200mm x 800mm x 10mm
WEIGHT	130 kg

FEATURES

Flexible height adjustment, suitable for different ages
Economical, durable, and cost-effective
Manual adjustment for easy storage
Widely applicable

OPTIONAL Full ≈200kg counterweight



N-050SME

HEIGHT	2.44m (8') , 2.74m (9') , 3.05m (10')
TUBE SIZE	50*50mm / 60*60mm
BASKET SIZE	Φ380mm
WEIGHT	53kg (including 27kg counterweight)


FEATURES

Meets women's netball standards
Easy to disassemble and transport, with wheels for mobility
Three-position lift (8/9/10 ft)
Integrated weighted base
High quality steel , powder coating white for long lasting play
Includes rim and net

DUNKING S-300

Overhang length 5'

INGROUND BASKETBALL HOOPS
with height adjustable from 6-10 ft



Detail

Basketball rack color :

installation type: inground type

backboard: tempered glass

backboard size: 72*42"

backboard thickness: 1/2"

rim height: 1.85-3.05 meter / 6-10'

height adjustable option: Yes

pole size: 12*8"



Hot-dip Galvanized & Powder Coated Steel

Stainless steel hardware

Double-spring mechanism
easy lift mechanism makes adjustable
height 6-10' for all ages with ease.

DUNKING S-200

Overhang length 4'

INGROUND BASKETBALL HOOPS

with height adjustable from 5.5-10ft



Detail

Basketball rack color

installation type: inground type

backboard: tempered glass


backboard size: 72*42"

backboard thickness: 1/2"

rim height: 1.5-3.05 meter / 5-10'

height adjustable option: Yes

pole size: 6*8"



Hot-dip Galvanized & Powder Coated Steel

Premium Gusset Design
Anchor J-bolts with heavy duty reinforcement.



DUNKING-100

Backboard size **60 X 36"**

Overhang **3'**

Pole size **6 X 6"**

Adjustable height **5.5' - 10'**

Material **HDG**

Surface **Powder Coating Frame**

FEATURES

Galvanized steel columns effectively prevent rust.
12mm tempered glass backboard
Adjustable height: 5.5-10 ft
Fully padding for effective protection



STAR-100

Backboard size **47 X 31"**

Overhang **2.6'**

Pole size **5 x 5"**

Adjustable height **7'-10'**

Material **HDG**

Surface **Powder Coating Frame**

FEATURES

Youth-style design for easy installation.
Tempered glass backboard for impact resistance.
Hand crank for height adjustment.
Suitable for small courts.



WARRIORS

Backboard size **72 x 42"**

Overhang **5' / 4'**

Pole size **12 X 8"**

Height **10'**

Material **HDG**

Surface **Powder Coating Frame**

FEATURES

An extra-large backboard provides the ultimate experience.
Back-to-back design saves space.
Durable material and stable construction.
Full padding for effective protection.



CHAMP A-500

flex rim(upgrade available)

Backboard size **1800*1050cm**

Pole size **40*30cm**

Overhang **225cm**

Height **305cm**



CHAMP A-300H

flex rim(upgrade available)

Backboard size **1800*1050cm**

Pole size **30*20cm**

Overhang **190cm**

Height **305cm**



CHAMP A-300Y

flex rim(upgrade available)

Backboard size **1800*1050cm**

Pole size **30*20cm**

Overhang **190cm**

Height **305cm**



CHAMP A-300J

flex rim(upgrade available)

Backboard size **1800*1050cm**


Pole size **30*20cm**

Overhang **190cm**

Height **305cm**



180° GOAL QML-R180G-A



180° Breakaway & Flex Goal
 Breakaway Release Adjustable From 180-250 Lbs
 5" X 4" To 5" X 4 1/2" Mount Pattern
 Ring Constructed With Alloy Steel
 Includes Net & Mounting Hardware
 Tube Tie Net Attachment




Designed for premier facilities who experience a volume of top-level talent. The 180° Goal absorbs the impact from all directions reducing the shock into a player's hands. Typical arena rims have the ability to only either flex or breakaway. The 180° combines both technologies to provide desired flexibility that is within professional game level rules and requirements.




BREAKAWAY RIM

- 5"x5" or 5"x4" hole pattern
- Concealed-design net attach hanger
- Powder coated orange color
- Rim dia: 18"
- Mounting plate: 5mm thick



BREAKAWAY RIM

- 5"x5" or 5"x4" hole pattern
- U-shape net attach hanger, nylon net
- Powder coated orange color
- Rim dia: 18"
- Mounting plate: 5mm thick




BREAKAWAY RIM WITH SUS304 NET

- 5"x5" or 5"x4" hole pattern
- Stainless steel made net
- Powder coated orange color
- Rim dia: 18"
- Mounting plate: 5mm thick



Concealed-design net attach hanger



T-shape net attach hanger, nylon net



H-BALL CARTS

1" Steel Construction
Gunmetal (Gray) Powder Coat Finish
Easy Roll Casters
Carts now have capacity for 12

SIZE
L:115" W:52" H:108cm



A-BALL CARTS

1" Steel Construction
Black Powder Coating Finish
Easy Roll Casters
Carts now have capacity for 12

SIZE
L:130" W:47" H:102cm



LOCKABLE-BALL CARTS

Carts now have capacity for 16
Customer provides padlock
23" width for easy storage
Lock to protect your basketball movement

SIZE
L:130" W:60" H:85cm



CUSTOM BASKETBALL

PU leather surface
Accepts LOGO print
Multiple sizes available

LOW MOQ



220V SUPPLY SCOREBOARD

Multifunctional timing and scoring system
Customizable sizes
Suitable for multiple sports.



220V SUPPLY SHOT CLOCK

Full coverage of multiple timers + timeout buzzer
Full dot-matrix high brightness + high refresh (no flicker)
Supports customized virtual light strip